



UNIVERSITY
OF WOLLONGONG
AUSTRALIA

University of Wollongong
Research Online

Faculty of Science, Medicine and Health - Papers

Faculty of Science, Medicine and Health

2014

How practitioners can better meet the needs of midlife women with alcohol dependence: results of the Researching with Women in Recovery (RWR) study

Janice Withnall

University of Western Sydney

Stuart Hill

University of Western Sydney

Sharon Bourgeois

University of Wollongong, bourgeoi@uow.edu.au

Publication Details

Withnall, J., Hill, S. & Bourgeois, S. (2014). How practitioners can better meet the needs of midlife women with alcohol dependence: results of the Researching with Women in Recovery (RWR) study. 2014 NADA Conference: Diversity Driving Innovation. conference Handbook (pp. 37-37). Australia: NADA.

Research Online is the open access institutional repository for the University of Wollongong. For further information contact the UOW Library: research-pubs@uow.edu.au

How practitioners can better meet the needs of midlife women with alcohol dependence: results of the Researching with Women in Recovery (RWR) study

Abstract

Abstract of the presentation that was presented at the conference workshop - Women's Drug & Alcohol Specialist Services.

Disciplines

Medicine and Health Sciences | Social and Behavioral Sciences

Publication Details

Withnall, J., Hill, S. & Bourgeois, S. (2014). How practitioners can better meet the needs of midlife women with alcohol dependence: results of the Researching with Women in Recovery (RWR) study. 2014 NADA Conference: Diversity Driving Innovation. conference Handbook (pp. 37-37). Australia: NADA.

Concurrent sessions

CONFERENCE DAY 2 – Tuesday 13 May 2014

WOMEN'S DRUG & ALCOHOL SPECIALIST SERVICES cont WORKSHOP

3.00 – 3.30 pm

HOW PRACTITIONERS CAN BETTER MEET THE NEEDS OF MIDLIFE WOMEN WITH ALCOHOL DEPENDENCE: RESULTS OF THE RESEARCHING WITH WOMEN IN RECOVERY (RWR) STUDY

Janice Withnall¹, Stuart Hill¹ and Sharon Bourgeois²

¹ University of Western Sydney, NSW

² University of Wollongong, NSW

This study, conducted between 2006 and 2013, explored how alcohol dependent midlife women (35-59 years) in Australia establish and maintain abstinent recovery. Three research outcomes are presented: Early identifiers for preventive recovery; women's Recovery Continuum; and respite care approaches to sustain long-term recovery with comorbid disorders. Participants comprised 246 midlife women in abstinent recovery (2-31 years abstinence) and 106 practitioners (with recognised qualifications in addiction care) working with AUDs clients. The data were generated in four lines of inquiry, using six methods of collection, and subjected to NVivo text analysis as part of a planned mixed methods triangulation strategy.

Over the six Action Cycles of the seven-year study six phases of the women's Recovery Continuum (early abstinence to long-term recovery) were identified and described: 1. Distressed recovery; 2. Enacting recovery; 3. Enabling recovery; 4. I'm in recovery; 5. Complex recovery; and 6. Valued recovery. Options for an agreed sustainable Chronic illness Recovery management plan integrating self-management and wellness monitoring are presented. These include practical healthcare strategies to enable midlife women to maintain self-care and dignity, emotional wellness, enriching relationships and decision-making for purposeful lifespan goals, supported by integrated healthcare and community care partnerships.

